ATTORNEY DOCKET NO: CXU-316-CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ln re A	pplication	on of:	Massia, et al.)	Group Art Unit:	Unknown	•
Serial	No:		Not Yet Assigned)))	Examiner:	Unknown	
Filed:			Herewith)	Our Account No:	04-1403	
Confir	mation 1	No:	Not Yet Assigned)	Customer No:	22827	
Γitle:	Polysaco	charide-l	Based Polymerizable Hydrogels)			
J.S. Pa Post O	issioner atent and ffice Bo ndria, V	i Traden x 1450	nark Office				
Sir:							
	llowing .97, and		formation Disclosure Statement for the	captioned	d patent application, pu	rsuant to 37 CFR Sec	ctions
[x].	Attach	ed heret	o is:				
	a.[x]	A list o	of materials for consideration per Rule	98(a)(1):	4 page(s)		
	b.[x]		ble copy of each patent, publication, or l/or as indicated on the attached list(s): tem(s)	other iten	n listed per Rule 98(1)(2), unless not require	ed per Rule
	c.[]	thereo	ch <u>non-English language item listed</u> , put f as it is presently understood by the industry of such items:	dividual d	lesignated in Rule 56(c)	e explanation of the most knowledgeable	relevance e about the
			th explanation is provided in the Search with any enclosed translation into Engl		rom a corresponding ap	plication enclosed he	erewith
2.[x]	This Ir	nformati	on Disclosure Statement is being filed	[CHECK	ONE]:		
	a.[x]	after a	IN THREE MONTHS of the application request for continued examination, OR, which ever event occurs last, WHERE interest.	BEFOR	E the mailing date of a	first Office Action or	n the rtificate
	b.[]		R the time periods of section 2.a above that otherwise closes prosecution, <u>WH</u>				
		i.[]	Certification per Rule 97(e); <u>OR</u>				
		ii[]	Filing Fee per Rule 17(p)			\$180.00	
	C:[]		R a Final Action <u>OR</u> Notice of Allowar (7(d) submitted herewith is:	nce, but B	EFORE payment of the	s issue fee, WHERE	<u>FORE</u> per
		i.	Certification per Rule 97(e); AND				
		ii.	Filing fee per Rule 17(p)			\$180.00	
3.[]		7(e) Cer CK ONE	tification; per Rule 97(e), the undersign []:	ned certify	ying party make the foll	owing certification s	statement
	a.[]	comm	ach item of information contained in th unication from a foreign patent office i o the filing of this statement; <u>OR</u>				
	b.[]	That n	o item of information contained in this	Informati	ion Disclosure Statemer	nt was cited in a fore	ign patent

Page 1 of 2

this statement.

office in a counterpart foreign application and to the knowledge of the undersigned after making a reasonable inquiry, was known to any individual designated in Rule 56(c) more than three months prior to the filing of

		made by signer per signature below).	bottom signature; omission here indicates that certification is being
		Name:	Signature:
1.[x]	DEPO		Commissioner is hereby authorized to charge any fee specifically
†.[A]	author herew now o overpa	rized hereafter, or any fees in addition to the ith or concerning any paper filed hereafter, a r hereafter relative to this application and the	fee(s) filed, or asserted to be filed, or which should have been filed and which may be required under Rules 16-18 (deficiency only) are resulting official document under Rule 20, or credit any adding hereof for which purpose a duplicate copy of this sheet is
5.[x]	CERT COMI	TIFICATE OF MAILING: This Information PLETE ONE]:	Disclosure Statement is being filed pursuant to [CHECK AND
	a.[x]	First Class Mail Certificate of Mailing und	der Rule 8:
		I hereby certify that this correspondence a the United States Postal Service as first cla	nd any referenced attachment and/or fee are being deposited with- ass mail in an envelope addressed to the:
		Commissioner for Patents	
		U.S. Patent and Trademark Office Post Office Box 1450	
		Alexandria, VA 22313-1450	
		on March 25, 2004.	
		Sandra S. Perkins (Typed/printed name of person mailing pa	per or fee
		(1 ypeu primed name of person maring pa	per or ree)
		(Signature of person mailing paper or fee)	
	b.[]	"Express Mail" Certificate under Rule 10:	
		"Express Mail" - Label No Date of Deposit	
		I hereby certify that this paper and all attac Service "Express Mail Post Office to Addr is addressed to the:	chments and any fee are being deposited with the U.S. Postal ressee" service under 37 CFR 1.10 on the date indicated above and
		Commissioner for Patents	
		U.S. Patent and Trademark Office	
		Post Office Box 1450 Alexandria, VA 22313-1450.	
		(Typed/printed name of person mailing pa	ner or feel
		(Typed printed name of person marring pa	e of ice)
		(Signature of person mailing paper or fee)	
DDRI		1440	DORITY & MANNING, ATTORNEYS AT LAW, P.A.
	fice Bø; ille: SC	29602 USA	
		lo.: 22827	By: Christina L. Mangelsen, Patent Agent
		4-271-1592 4-233-7342	
acsiiiil	ne. 804	4-233-7342	Reg. No: 50,244 Signature:
			Signature.
		•	Date: March 25, 2004

(Rev. 5/92)	Attorney Docket Number:	Serial Number:			
Information Disclosure Statement List	CXU-316-CON	Not Yet Assigned			
By Applicant(s)	Applicant:				
Under 37 CFR Section 1.98(a) (1)	Stephen Massia, et al.				
(Use several sheets if necessary)	Filing Date:	Group Art Unit:			
,	Herewith	Unknown			
	Confirmation No:				
	Not Yet Assigned				

NOTE:

If no indication is made in the column marked "COPY NOTE," the required legible copy of the corresponding item is submitted herewith; otherwise, a copy is not required and/or not submitted, for the following reason(s) [corresponding reason number is listed in "COPY NOTE" column]"

- This item is cumulative, per Rule 98(c) (1)
- A copy of this item was previously cited by or submitted to the U.S. (2) Patent and Trademark Office in:

, filed <u>03/12/2002</u>, or USSN 10/095/722 USSN filed_

Relied on under 35 U.S.C. Section 120, per Rule 98(d)

Both reasons (1) and (2) apply

- (3) No legible complete copy is possessed, in custody of controlled, or (4) readily available
- Per the U.S. Patent and Trademark Office's waiver of Rule 98(a)(2)(i), (5) the item is a U.S. patent or patent application publication, and the present application was filed after June 30, 2003.

EXAMINER INITIALS	PATENTEE NAME	PATENTEE NAME PATENT NUMBER					ISSUE DATE	NOTE		
	della Valle, et al	4	9	5	7	7	4	4	09/1990	2
	Slepian, et al	5	2	1-1	3	5	8	0_	05/1993	2
	Hubbell, et al	5	4	-1	0	0	l	6	04/1995	2
	Matsuda, et al	5	4	6	2	9	7	6	10/1995	2
	Matsuda, et al	5	5	9	3	8	1	4	01/1997	· 2
	Roth, et al	. 5	6	6	5	0	6	3	09/1997	2
	Matsuda, et al	5	7	6	3	5	0	4	06/1998	2
	Valentini, et al.	5	9	3	9	3	2	3	08/1999	2
	Sawhney, et al.	6	0	8	3.	5	2	4	07/2000	2
	Chudzik, et al.	16	4	1	0	0	4	4	06/2002	2_
	Massia, et al.	6	5	8	6	4	9	3	07/2003	2

FOREIGN PA	IENI DOCON	ILIN	.13										,
EXAMINER INITIALS	COUNTRY	DC	OCL	JME	ENT	NU	JME	BER	PUBLICATION DATE	TRA	NSLA'	TION	NOTE
1.	\ .									YES	NO	N/A	
'	wo	8	7	0	7	8	9	8	 12/30/1987			X	2
	wo	9	0	0	6	7	6	7	06/28/1990			X	2
									i- within the passes	<u> </u>	<u>L</u>	<u> </u>	<u> </u>

^{*&}quot;NO" means that no copy of an English language translation is within the possession, custody, or control of, or is readily available to any individual designated in Rule 56(c).

EXAMINER INITIALS	OTHER DOCUMENTS Specify author (if any), Title, Pertinent Pages, Date & Place of Moghaddam & Matsuda, "Molecular Design of Three-Dimensional Artificial Extracellular Matrix: Photosensitive Polymers Containing Cell Adhesive Peptide," J. Polymer Science, Vol. 31, pp. 1589-1597	of Publication 1993, United States	COPY NOTE
	Matsuda et al, "Photoinduced Prevention of Tissue Adhesion," ASAIO Journal, 1992, pp. M154-M157	1992, United States	2

(Rev. 5/92)	Attorney Docket Number:	Serial Number:			
Information Disclosure Statement List	CXU-316-CON	Not Yet Assigned			
By Applicant(s)	Applicant	:			
Under 37 CFR Section 1.98(a) (1)	Stephen Massia, et al.				
(Use several sheets if necessary)	Filing Date:	Group Art Unit:			
	Herewith	Unknown			
	Confirmation No:				
	Not Yet Assigned				

	Kito et al, "Differentiated Biocompatible Design of Luminal and Outer Graft Surfaces," "Photocurable Extracellular Matrices, Fabrication, and Cellular Response," ASAIO Journal, 1993, pp. M506-M509	1993, United States	2
	Yong et al, "Facile and Efficient Guanylation of Amines using Thioureas and Mukaiyama's Reagent," <i>J Org. Chem.</i> , 1997, 62, pp. 1540-1542	1997, United States	2
	Tomihata and Ikada, "Crosslinking of hyaluronic acid with water-soluble carbodiimide," <i>J. Biomed. Mater. Res.</i> , Vol. 37, pp. 243-251	1997, United States	2
	Thermes et al, "Mucoadhesion of Copolymers and Mixtures Containing Polyacrylic Acid," <i>Pharmaceutical Research</i> , Vol. 9, pp. 1563-1567	Nov. 12, 1992, United States	2
	McCormick and Lin, "Water-soluble Copolyers. II. Synthesis and Characterization of Model Dextran-g- Acrylamides by Ce(IV)/HNO ₃ -Induced Initiation," J. Macromol. SciChem, A16(8) pp. 1441-1462	1981, United States	2
	Hill-West et al, "Inhibition of thrombosis and intimal thickening by in situ photopolymerization of thin hydrogel barriers," <i>Proc. Natl. Acad. Sci, USA</i> , Vol. 91, pp. 5967-5971	June, 1994 United States	2
	Dumanian et al, "A New Photopolymerizable Blood Vessel Glue that Seals Human Vessel Anastomoses Without Augmenting Thrombogenicity," <i>Plast. Reconstr. Surg. 95</i> : pp. 901-907	1995, United States	2
	West and Hubbell, "Comparison of covalently and physically cross-linked polyethylene glycol-based hydrogels for the prevention of postoperative adhesions in a rat model," <i>Biomaterials</i> 1995, Vol. 16, No. 15, pp. 1153-1156	1995, United States	2
	Hern and Hubbell, "Incorporation of adhesion peptides into nonadhesive hydrogels useful for tissue resurfacing," <i>J. Biomed. Matrs. Res.</i> , Vol. 39, pp. 266-276	1998, United States	2
	Guschin, "Manual Manufacturing of Oligonucleotide, DNA, and Protein Microchips," <i>Analytical Biochemistry</i> , Vol. 250, pp. 203-211	1997, United States	2
	Lyubimova et al, "Photopolymerization of polyacrylamide gels with methylene blue," <i>Electrophoresis</i> , Vol. 14, pp. 40-50	1993, Germany	2
š ₂	Bellobono et al, "Photochemical conjugaton and mammalian cells to polymeric supports and membranes: A kinetic study," J. of Biomed. Matrs. Res., Vol. 28, pp. 1157-1163	1994, United States	2
	Hill-West et al, "Efficacy of a resorbable hydrogel barrier, oxidized regenerated cellulose, and hyaluronic acid in the prevention of ovarian adhesions in a rabbit model," Fertility and Sterility, Vol. 62, No. 3, pp. 630-634	September, 1994; United States	2
	Santin et al, "Synthesis and characterization of a new interpenetrated poly (2-hydroxyethylmethacrylate)—gelatin composite polymer," <i>Biomaterials</i> , Vol. 17, pp. 1459-1467	1996, Great Britain	2
	Pol, et al, "In vivo testing of crosslinked polyethers. I. Tissue reacons and biodegradation", J. Biomed. Matrs. Res., Vol. 32, pp. 307-320	1996, United States	2

(Rev. 5/92)	Attorney Docket Number:	Serial Number:			
Information Disclosure Statement List	CXU-316-CON	Not Yet Assigned			
By Applicant(s)	Applicant:				
Under 37 CFR Section 1.98(a) (1)	Stephen Massia, et al.				
(Use several sheets if necessary)	Filing Date:	Group Art Unit:			
	Herewith	Unknown			
	Confirmation No:				
	Not Yet Assigned				

Weight loss, IR analysis, and swelling behavior after implantation," J. Biomed. Matrs. Res., Vol. 32, pp. 321-331				
implantation," J. Biomed. Matrs. Res., Vol. 32, pp. 321-331 Sanchez-Chaaves and Arranz, "Preparation of dextran with bioactive carboxylic acids," "Polymer, Vol. 38, No. 10, pp. 2501-2505 Giammona et a, "A Hydrogel Based on a Polyaspartamide: Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," J. Pharm. Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharde Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 352-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronic Acid, "Biocafgradation of Ayaluronic acid derivatives by hyaluronic Acid and Influence of Iron," Free Rad. Res. Comms. Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(c-amino acid) hydrogel. I. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 134-1326 Teijón et al, "Gydrarbine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kiio et al, "Biodegradation of an Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruyses et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconiguate Chem., Vol. 8, pp. 686-		Pol et al, "In vivo testing of crosslinked polyethers. II.	1996, United	2
Sanchez-Chaaves and Arranz, "Preparation of dextranbioactive compound adducts by the direct esterification of dextran with bioactive carboxylic acids," Polymer, Vol. 38, No. 10, pp. 2501-2505 Giammona et a., "A Hydrogel Based on a Polyaspartamide: Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," J. Pharm. Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharde Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-355 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatiz			States	
bioactive compound adducts by the direct esterification of dextran with bioactive carboxylic acids," Polymer, Vol. 38, No. 10, pp. 2501-2505 Giammona et a, "A Hydrogel Based on a Polyaspartamide: Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," J. Pharm. Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexassaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms. Vol. 3, No. 1-5, pp. 8-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. I. In vivo," J. Biomed. Matrs. Res., Vol. 13, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Tejion et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels (and delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolth		implantation," J. Biomed. Matrs. Res., Vol. 32, pp. 321-331		
bioactive compound adducts by the direct esterification of dextran with bioactive carboxylic acids," Polymer, Vol. 38, No. 10, pp. 2501-2505 Giammona et a., "A Hydrogel Based on a Polyaspartamide: Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," J. Pharm. Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Produced, and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. In In vivo," J. Biomed. Matrs. Res., Vol. 13, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijon et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels (14, 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Synthesis, Characterizat		Sanchez-Chaaves and Arranz, "Preparation of dextran-	1997, Great	2
No. 10, pp. 2501-2505			Britain	
No. 10, pp. 2501-2505		dextran with bioactive carboxylic acids," <i>Polymer</i> , Vol. 38,		
Giammona et a., "A Hydrogel Based on a Polyaspartamide: Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," J. Pharm. Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Terra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. 1. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijön et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," States Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-calibre artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Suprahesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Science, Vol. 23, pp. 6317-6322 van Dijk-Wolthuis et al, "Suprahesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Siconopugate Chem., Vol. 8, pp. 686-				
Characterization and Evaluation of In-vivo Biocompatibility and Drug Release in the Rat," <i>J. Pharm. Pharmacol.</i> , Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," <i>Biomaterials</i> , Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," <i>Int. J. Biochem.</i> , Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," <i>Intl. J. of Tech. Assess. in Health Care</i> , Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," <i>Meth. Find Exp. Clin. Pharmacol.</i> , Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," <i>Biomaterials</i> , Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," <i>Free Rad. Res. Comms.</i> , Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. <i>In vivo</i> , " <i>J. Biomed. Matrs. Res.</i> , Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," <i>Science</i> , Vol. 228, pp. 1324-1326 Teijon et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," <i>J. Biomed. Matrs. Res.</i> , Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextram," <i>Macromolecules</i> , Vol. 32, pp. 6459-4654 Vercruysse et al, "Synthesis and in <i>Vitro</i> Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," <i>Biocon Jugaate Chem.</i> , Vol. 8, pp. 686-		Giammona et a "A Hydrogel Based on a Polyaspartamide:	1997, United	2
Biocompatibility and Drug Release in the Rat," <i>J. Pharm. Pharmacol.</i> , Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," <i>Biomaterials</i> , Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Terra- and Hexasaccharide Produced," <i>Int. J. Biochem.</i> , Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," <i>Intl. J. of Tech. Assess. in Health Care</i> , Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," <i>Meth. Find Exp. Clin. Pharmacol.</i> , Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," <i>Biomaterials</i> , Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," <i>Free Rad. Res. Comms.</i> , Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. <i>In vivo</i> , " <i>J. Biomed. Matrs. Res.</i> , Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," <i>Science</i> , Vol. 228, pp. 1324-1326 Teijon et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels drug delivery studies," <i>Biomaterials</i> , Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," <i>J. Biomed. Matrs. Res.</i> , Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," <i>Macromolecules</i> , Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis and in <i>Vitro</i> Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," <i>Biocongatic Chem.</i> , Vol. 8, pp. 686-	ļ			
Pharmacol., Vol. 49, pp. 1051-1056 Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 States West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 States Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 Van Dijk-Wolthuis et al, "Synthesis and in Vitro Degradation of Poyr, United Sciates				
Abatangelo, et al, "Biocompatibility and enzymatic degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydroge. I. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-889 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," J. Biomed. Matrs. Res., Vol. 30, pp. 4639-4645 Vercruyses et al, "Synthesis and in Vitro Degradation of Poly, United States Polymerization of Glycidy Methacrylate Derivatived Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruyses et al, "Synthesis and in Vitro Degradation of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				
degradation studies on sulphated hyaluronic acid derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. In wvo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijön et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 21-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 38, pp. 636-645 Vercruysse et al, "Synthesis and in Vitro Degradation of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1997, Great	2
derivatives," Biomaterials, Vol. 18, No. 21, pp. 1411-1415 Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels drug delivery studies," Siometraics, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysee et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				
Payan, et al, "Hyaluronidase Degradation of Hyaluronic Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Commis., Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugadate Chem., Vol. 8, pp. 686-				
Acid From Different Sources: Influence of the Hydrolysis Conditions on the Production and the Relative Proportions of Tetra- and Hexasacharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Int. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," States Warraces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysee et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1993 Great	2
Conditions on the Production and the Relative Proportions of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijön et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Biocomjugaate Chem., Vol. 8, pp. 686-				
of Tetra- and Hexasaccharide Produced," Int. J. Biochem., Vol. 25, No. 3, pp. 325-329 Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			Billum.	
Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359- 365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Tcijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				1
Cohen, et al, "Novel Approaches to Controlled-Release Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359- 365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol. 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. 1. In vivo," J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Engradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				
Antigen Delivery," Intl. J. of Tech. Assess. in Health Care, Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359- 365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Sprithesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1994 United	2
Vol. 10, No. 1, pp. 121-130 Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278				1-
Cheng, et al, "Development of an Azopolymer Based Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(a-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			Giaics	
Colonic Release Capsule for Delivering Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," States Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1004 United	12
Proteins/Macromolecules," Meth. Find Exp. Clin. Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1 .	2
Pharmacol., Vol. 16, No. 4, pp. 271-278 Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
Zhong et al, "Biodegradation of hyaluronic acid derivatives by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365				
by hyaluronidase," Biomaterials, Vol. 15, No. 5, pp. 359-365 Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. 1. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1004 United	12
Signature States States			1 '	2
Fink and Lengfelder, "Hyaluronic Acid Degradaton by Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
Ascorbic Acid and Influence of Iron," Free Rad. Res. Comms., Vol 3, No. 1-5, pp. 85-92 Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-		303	1007 C4	12
Comms., Vol 3, No. 1-5, pp. 85-92		Fink and Lengielder, "Hyaluronic Acid Degradation by	1	2
Dickinson et al, "Biodegradation of a poly(α-amino acid) hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," States Ni, Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			Dillain	
hydrogel. I. In vivo, "J. Biomed. Matrs. Res., Vol. 15, pp. 577-589 West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1001 H-iand	1
West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijon et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				2
West et al, "Angiogenesis Induced by Degradaton Products of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijon et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
of Hyaluronic Acid," Science, Vol. 228, pp. 1324-1326 Teijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1005 77 1	
Tcijón et al, "Cytarabine trapping in poly (2-hydroxyethyl methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-	i	West et al, "Angiogenesis Induced by Degradaton Products		2
methacrylate) hydrogels: drug delivery studies," Biomaterials, Vol. 18, No. 5, pp. 383-388 Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				
Biomaterials, Vol. 18, No. 5, pp. 383-388 Skito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 Van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 Van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				2
Kito et al, "Biocompatible coatings for luminal and outer surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-	<i>'</i> .		States	-
surfaces of small-caliber artificial grafts," J. Biomed. Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-	<u> </u>		1006 11 :: 1	12
Matrs. Res., Vol. 30, pp. 321-330 van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				2
van Dijk-Wolthuis et al, "Synthesis, Characterizaton, and Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
Polymerization of Glycidyl Methacrylate Derivatized Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1005 77 1	1
Dextran," Macromolecules, Vol. 28, pp. 6317-6322 van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			1 '	2
van Dijk-Wolthuis et al, "Degradation and Release Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
Behavior of Dextran-Based Hydrogels," Macromolecules, Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			<u> </u>	1
Vol. 30, pp. 4639-4645 Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			· ·	2
Vercruysse et al, "Synthesis and in Vitro Degradation of New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-			States	
New Polyvalent Hydrazide Cross-Linked Hydrogels of Hyaluronic Acid," <i>Bioconjugaate Chem.</i> , Vol. 8, pp. 686-		Vol. 30, pp. 4639-4645		<u> </u>
Hyaluronic Acid," Bioconjugaate Chem., Vol. 8, pp. 686-				2
			States	
1 1 2 2 4				
694		694	<u> </u>	

(Rev. 5/92)	Attorney Docket Number:	Serial Number:			
Information Disclosure Statement List	CXU-316-CON	Not Yet Assigned			
By Applicant(s)	Applicant:				
Under 37 CFR Section 1.98(a) (1)	Stephen Massia, et al.				
(Use several sheets if necessary)	Filing Date:	Group Art Unit:			
	Herewith	Unknown			
	Confirmation No:				
	Not Yet Assigned				

	Pangburn and Roskos, "Development of enzymatically	July, 1990, United	2
	degradable protective coatings for use n triggered drug	States	
1 1	delivery systems: derivatized starch hydrogels,"		
-	Biomaterials, Vol. 11, pp. 345-350		
	Matsuda, et al, "Newly Designed Tissue Adhesion	1993, United	2
	Prevention Technology Based on Photocurable	States	
1	Mucopolysaccharides," ASAIO Journal, Vol. 39, pp.		
	M327-M331		
1	Sawhney et al, "Interfacial photopolymerization of	1993, United	2
	poly(ethylene glycol)-based hydrogels upon alginate-	States	•
	poly(I-lysine) microcapsules for enhanced	•	l i
i i	biocompatibilty," Biomaterials, Vol. 14, No. 13, pp. 100	8-	
	1016		
]	Hossainy and Hubbell, "Molecular weight dependence of	f 1994, United	2
	calcification of polyethylene glycol hydrogels,"	States	
	Biomaterials, Vol. 15, No. 11, pp. 921-925		
	Ghandehari et al, "In vitro degradation of pH-sensitive	1997, United	2
}	hydrogels containing aromatic azo bonds," Biomaterials,	States	
	Vol. 18, No. 12, pp. 861-872		
	von Recum et al, "Degradation of polydispersed poly(L-	1995, United	2
	lactic acid) to modulate lactic acid release," Biomaterials	, States]
	Vol. 16, No. 6, pp. 441-446		
	Dickinson and Hiltner, "Biodegradation of a poly-(α-ami	no 1981, United	2
	acid) hydrogel. II. In vitro, "J. Biomed. Matrs. Res., Vol.	States	1
	15, pp. 591-603		
	Hong et al, "Biodegradation in vitro and retention in the	1998, United	2
	rabbit eye of crosslinked poly(1-vinyl-2-pyrrolidinone)	States	
	hydrogel as a vitreous substitute," J. Biomed. Mater. Res.	,	
	Vol. 39, pp. 650-659		
	Sawhney et al, "Bioerodible Hydrogels Based on	1993, United	2
	Photopolymerized Poly(ethylene glycol)-co-poly(α-	States	
	hydroxy acid) Diacrylate Macromers," Macromolecules,		
	Vol. 26, pp. 581-587		
	Kurisawa et al, "Double-stimuli-responsive degradation of	of 1997, United	2
	hydrogels consisting of oligopeptide-terminated	States	
	poly(ethylene glycol) and dextran with an interpenetratin	g	
-	polymer network," J. Biomater. Sci. Polymer Edn., Vol. 8	3,	
	No. 9, pp. 691-708		
-[ISA/US, International Search Report, PCT/US02/07320,	2 Washington, DC	2
<u> </u>	pages	07/15/02	"
2			
EXAMINER	DATE CO	ONSIDERED	<u></u>
· · · · · · · · · · · · · · · · · · ·			i
Examiner:	initial if citation considered, whether or not citation is in con-	formance with MPEP 609);
	draw line through citation if not in conformance and not cons	idered. Include a copy of	f S
t	his form with the next communication to applicant.	.,	.]